

# Table1

## Drugs causing hearing loss as a side effect

US National Library of Medicine  
National Institutes of Health

<b>Drug category</b>	<b>Class of drug</b>	<b>Subclass of drug</b>	<b>Examples</b>
Anti infective	Antibiotics	Aminoglycosides	Neomycin, gentamicin, amikacin, netilmicin
		Macrolides	Erythromycin, azithromycin, clarithromycin
		Quinolones	Ofloxacin, ciprofloxacin, levofloxacin
		Others	Tetracyclines, vancomycin, teicoplanin, framycetin, colistin, imipenem with cilastin
Analgesics	Non steroidal	Antivirals	Ganciclovir, zalcitabine, ribavirin + interferon
		Antifungals	Amphotericin, flucytosine
		Antimalarials	Chloroquine, mefloquine, quinine
		Antituberculous	Capreomycin
Anticancer drugs	Anti-inflammatory	Aspirin, indomethacin, ibuprofen, diclofenac,	
		Ketorolac, sulindac, naproxen,	
Cardiac and vascular drugs	Diuretics	Platinum compounds	Cisplatin, carboplatin, oxaloplatin
		Vinca alkaloids	Vindesine, vinblastine, vincristine
		Others	Bexarotene, taxane
Neurologic drugs	Beta blockers	Loop diuretics	Frusemide, bumetanide, torasemide
		Carbonic anhydrase inhibitor	Acetazolamide
			Metoprolol, sotalol, practolol, bisoprolol
Others	ACE inhibitor		Ramipril
			Sodium valproate
			Entacapone
Others	Anticonvulsant		Tacrolimus
			Hydroxychloroquine
			Ropivacaine
Others	Anti-Parkinson's		
Others	Immunosuppressant		
Others	Antirheumatoid		
Others	Local anaesthetics		